



DEPARTMENT OF THE NAVY  
HEADQUARTERS UNITED STATES MARINE CORPS  
2 NAVY ANNEX  
WASHINGTON, DC 20380-1775

IN REPLY REFER TO:

11011

LFL-3

14 JAN 2005

From: Commandant of the Marine Corps  
To: Commander, Marine Corps Air Bases Western Area  
Marine Corps Air Station Miramar, P.O. Box 452001, San  
Diego, CA 92145-2001  
  
Subj: MARINE CORPS AIR STATION, MIRAMAR, CALIFORNIA AIR  
INSTALLATIONS COMPATIBLE USE ZONES (AICUZ) STUDY UDDATE  
  
Ref: (a) AICUZ Update, MCAS Miramar, California, December 2004

1. The Air Installations Compatible Use Zones (AICUZ) Study Update for the Marine Corps Air Station, Miramar, as presented by the reference, is approved for implementation.
2. This study is a result of extensive analysis of all known methods to insure that development of surrounding lands will be compatible with the noise levels and accident potential zones associated with airfield operations and to protect the public's safety, health and welfare while minimizing the degradation of the operational capability of the military air installation. This analysis is consistent with the provisions of the Litigation Settlement Agreement.
3. It is envisioned that through wide public distribution of this document and a continuing dialogue between the Commanding Officer, Marine Corp Air Station Miramar and the local government officials these land use recommendations can be adopted.

**PAUL C. HUBBELL**  
Deputy Assistant Deputy Commandant  
Installations and Logistics (Facilities)

By direction

Copy to:  
COMMARFORPAC HI  
COMCABWEST MIRAMAR CA  
MCAS MIRAMAR CA  
COMNAVAFACENGCOM WASHINGTON DC